

# AP Statistics


## Normal Model Examples

To get credit for a normal calculation, you must show:

- 1) Shaded sketch of the normal curve with Normal Model notation:  $N(\mu, \sigma)$
- 2) Calculation(s) of the z-scores for the cut-off(s)
- 3) The correct probability/proportion/percentage. (you may use either the z-table or "NormalCDF" on your calculator)

Adult FEMALE walrus weights are approximately normally distributed, with a mean of 812 kg, and a standard deviation of 67 kg. If we select an adult female walrus at random, what is the probability that her weight is...

a) less than 879 kg?




$$z = \frac{x - \mu}{\sigma} = \frac{879 - 812}{67} = 1.00$$

★ For a "less than" probability, look up 1.00 on the z-table:

$$P(\text{weight} < 879) = 0.8413$$

b) more than 780 kg?




$$z = \frac{x - \mu}{\sigma} = \frac{780 - 812}{67} = -0.478$$

(round to 2 places for z-table)

★ For a "greater than" problem, find the probability on the z-table, then subtract from 1.0:

$$1 - 0.3156 = 0.6844$$

c) less than 600 kg?




$$z = \frac{600 - 812}{67} = -3.16$$

$$P(z < -3.16) = 0.0008$$

↑ again, this is from the z-table

d) between 700 and 800 kg?



$$z = \frac{700 - 812}{67} = -1.67 \rightarrow 0.0475$$

$$z = \frac{800 - 812}{67} = -0.179 \rightarrow 0.4286$$


(or -0.18)

★ look up both on z-table

★ For a "between" problem, subtract the 2 probabilities:

$$0.4286 - 0.0475 = 0.3811$$

e) between 720 kg and 785 kg?



$$P(720 < \text{weight} < 785) \\ = 0.3446 - 0.0853 \\ = \boxed{0.2593}$$

(Now we are using the Normal model in REVERSE...)

f) Approximately what weight represents the cut-off for the TOP 5% of adult female walrus weights?

Find the z-score that gives you 0.9500...  $z = 1.645$  (or 1.64 or 1.65) (or as close as possible)

$$z = \frac{x - \mu}{\sigma} \quad (\text{algebra}) \\ 1.645 = \frac{x - 812}{67} \rightarrow \boxed{x = 922.215 \text{ kg}}$$

g) Approximately what weight represents the cut-off for the BOTTOM 20% of adult female walrus weights?

Find z-score for 0.2000...

$$z = -0.84$$

$$z = \frac{x - \mu}{\sigma}$$

$$-0.84 = \frac{x - 812}{67}$$

$$\boxed{x = 755.72 \text{ kg}}$$

\*h) What is the IQR for adult female walrus weights?

Q3 | 75th percentile:  $z = +0.67$

Q1 | 25th percentile:  $z = -0.67$

$$0.67 = \frac{x - 812}{67}$$

$$z = \frac{x - \mu}{\sigma}$$

$$\rightarrow -0.67 = \frac{x - 812}{67}$$

$$\begin{aligned} \text{IQR} &= Q3 - Q1 \\ &= 856.89 - 767.11 \\ &= \boxed{89.78 \text{ kg}} \end{aligned}$$

$x = 856.89$  (Q3)       $x = 767.11$  (Q1)

i) 6-month old male babies have a mean weight of 16.5 pounds. Suppose a certain 6-month old baby boy weighs 20 pounds – this places him at the 95<sup>th</sup> percentile for babies his age! What is the standard deviation of weights for male babies at 6 months of age? Assume that these weights are approximately normally distributed. (hint: start by finding the z-score for the 95<sup>th</sup> percentile...)

$$z = 1.645 \text{ ish}$$

$$z = \frac{x - \mu}{\sigma}$$

$$1.645 = \frac{20 - 16.5}{\sigma}$$

$$\boxed{\sigma = 2.13 \text{ pounds}}$$